

Dalen Limited

Available Projector Security Devices

Proj Model	Dalen Cage No				Fit 140/3	Fit 140/4	Fit 140/5	Fit 140/6	Fit PlutoLite	Fit SUPM	Notes
3											
HD6K-M	T-T112-TT	500	550	260							
3M											
MP 8725	T-T 106-A	325	260	105	N		Y	Y			
MP 8749	T-T 106-UU	300	230	100	N		Y	Y			
ASK											
A4 Compact	T-T 101-LL	290	225	115	N		Y	Y			Fits 140/4 without FMP Insert
C1	T-T 107-TT	320	240	115	N		Y	Y			Fits 140/4 without FMP Insert
C105	T-T 102-II	310	250	105	N		Y	Y			Fits 140/4 without FMP Insert
C50	T-T 108-AA	320	260	120	N		Y	Y			
C95	T-T 102-II	310	250	105	N		Y	Y			Fits 140/4 without FMP Insert
Barco											
6300	T-T 103-BB	572	372	258	N		N	N			
id H250 / H500	T-T111-GG	414	589	196	N		N	N			Micrometer Adjustment Otherwise Use T-T110-CC
IQ G300	T-T 109-CC	455	410	200	N		N	N			
MGP 15, id H2500 / H500	T-T110-CC	414	589	196	N		N	N			If micrometer adjustment required use T-T111-GG
RLM W8	No Info									S05	Special Plate 105 SUPM S05
BenQ											
MC 711		312	245	105						1	
MS619ST / MX620ST / MW621ST	No Info	288	248	115	?	?	?	?		1,2	Fits SUPM 1 and 2. Other cage detail unknown.
MW663/MX662/MW721	No Info	311	244	115	N	N	Y	N	4	1	Projector Details Required for Cage Design. Will fit T-t140-4 wtout Fixed Pate. Similarly for Pluto-Lite-3
MW817ST	No Info	287	233	130						2	Projector Details Required for Cage Design
PB 6100	T-T 108-II	260	220	100	N		Y	Y			
PB 6200	T-T 108-II	260	220	100	N		Y	Y			
SP840		325	254	95						1	
Boxlight											
6001E	T-T 104-LL	385	260	160	N		N	Y			Fits 140/6 without FMP Insert
Cannon											
WUX6000	T-T114-HH	380	430	170							Projector Details Required for Cage Design

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Canon</i>											
LV-7210	T-T 108-W	410	325	170	N		N	Y			Fits 140/6 without FMP Insert
LV-7510	T-T 101-GG	390	272	143	N		N	Y			
LV-S3	T-T 107-NN	300	250	95	Y		Y	Y			Fits 140/3 without FMP Insert
WUX 6010	No Info									3	Projector Details Required for Cage Design
WUX500	No Info									2	Projector Details Required for Cage Design
<i>Casio</i>											
XJ-1750		400	323							2	
XJ-450	T-T 108-GG	280	200	77	Y		Y	N			Fits 140/3 without FMP Insert
XJ-M145 / M250 / M130 / M140		311	244	82					3	1	
XJM240										1	
XJ-ST, XJ-H 1600 / 1650 / 1700 / 1750 / 2650		420	323	106						3	
<i>Christie</i>											
DH0775E		456	532	255							Special SUPM
DHD550-G		435	495	290						2/3	
DHD600-G	T-T114-EE	435	494	220							
DWU775-E	No Info	456	532	210							S016 Projector Details Required for Cage Design
HD10KM	No Info										S21 Projector Details Required for Cage Design
L2K		530	757	268							S18 Special
LHD700	113-YY										Requires special: 113-YY
LW400		420	320	140						2	
LWU420	T-T112KK	427	360	160						1,2,3	
LWU505, LW555, LX605, LX505	T-T113-BB	490	435	165							S016 105 SUPM S016
LX32	T-T 109-HH	420	310	165	N		N	N			
LX33	T-T 107-OO	320	255	120	N		Y	Y			
LX41/LW41		401		119							1,2,3
LX501, LX601i, LW401, LW551i, LWU421, LWU501i	T-T113-P	498	490	148						2	
LX650, LX700		370	445	190							Requires special plate
WU7K-M	T-T114-GG	501	587	258							

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Dalen</i>											
T-T 105-A Universal Projector Security Cage	T-T 105-A										Offer 140/5 or 140/6. They have enough capacity to accommodate any projector that this cage can.
T-T 140/3 Universal Projector Cage	T-T 140/3	340	255	95							Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
T-T 140/4 Universal Projector Cage	T-T 140/4	340	255	120							Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
T-T 140/5 Universal Projector Cage	T-T 140/5	388	303	145							Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
T-T 140/6 Universal Projector Cage	T-T 140/6	436	351	170							Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
<i>Dell</i>											
4100 MP	T-T 108-ZZ										
<i>Eiki</i>											
LC 7000	T-T 101-JJ	367	296	148	N		N	Y			
LC-HDT700	No Info	370	440	187							Projector Details Required for Cage Design Special SUPM
LC-X 990	T-T 101-GG	385	272	143	N		N	Y			
LC-X60 / X71	T-T 109-OO	322	435	172	N		N	Y			Fits 140/6 without FMP Insert
LC-X80, LC-X85	113-YY	370	440	187							Special Cage Required: 113-YY
LC-X984	T-T 102-UU	375	270	142	N		Y	Y			Fits 140/5 without FMP Insert
LC-XB28		295	208	69	Y		N	N			
LC-XG300 / XG250	T-T110-KK	350	450	168	N		N	N			Also Sanyo PLC-XT20
LC-XNB2W	T-T 101-NN	325	242	102	N		Y	Y			Fits 140/4 without FMP Insert
<i>Eizo</i>											
Flexscan IP420U	T-T 102-KK	305	255	100	N		Y	Y			May also suit Mitsubishi LVP-X70U

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
Epson											
EB-G7400U	No Info									S27	Projector Details Required for Cage Design
EB-X14,X11,X12,W12,S11,S12	No Info	295	228	80						1	Projector Details Required for Cage Design
5300	T-T 101-PP	360	305	130	N		N	Y			
7100	T-T 101-OO	325	251	158	N		N	Y			Fits 140/6 without FMP Insert
7200	T-T 101-PP	360	305	130	N		N	Y			
7250	T-T 101-PP				N						
EB-12 / EB-W12		295	228	79						1	
EB-1400, EB-1410, EB-470,475,480,485	PST EPSEB										Short Throw With Own Bracket
EB-1760W		292	210	54						1	
EB-1880 / 1870 / 1860 / 1850W / 1840W		345	264	108						1	
EB-1920W		357	257	95						1	
EB-1930 / 1940W / 1950 / 1960		377	271	108						1	
EB-1965 / 1964 / 1955 / 1954 / 1954W / 1935		377	271	108						1	
EB1970	No Info									1	Projector Details Required for Cage Design
EB-1985	No Info									2	Projector Details Required for Cage Design
EB2265U	No Info									2	Projector Details Required for Cage Design
EB-2265U / EB-2255U / EB-2250U / EB-2245U / EB-2165W	No Info									1	Projector Details Required for Cage Design
EB-435W / 430 / 425W / 420		345	277							2	
EB-4550,4650,4750,4850, 4950,4955	T-T114-AA	472	354	159						S07	
EB-465i / 460 / 455Wi / 450W / 440W		369	483	155							Use PST-EB450-002 Cage
EB-475W	EPS-EB475-										See Dalen Cage Number
EB-4850, 4550, 4650, 4750		472	354	159						S07	Special: 105-SUPM-S07
EB-925 / 915W / 910W / 905 / 900		345	263	107						1	
EB-93E		345	263	107						1	
EB-965, EB-955W, EB-945		275	273	90						1	
EB-D6050W	No Info	500	382	171							Projector Details Required for Cage Design
EB-D6250, 6155W, 6150	No Info									1	Projector Details Required for Cage Design

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
EB-G5100, 5150, 5200, 5300, 5350, 5450, 5500 5650, 5750 5950 5800	T-T111-QQ	470	338	150						S07	105-SUPM-S07
EB-G5950,G5650,G6650,4950	No Info	505	406	160						S07	Projector Details Required for Cage Design
EB-G6050, EB-G6800	T-T114-DD	505	400	170							Projector Details Required for Cage Design
EB-G6250	No Info	472	354	162							To Be Designed when we have an order. Dimensioned sketch in Brian's blue folder. Will be a special SUPM
EB-G6800, EB-G7900U, EB-G5535U, EB-G5530U, EB-G5520W	No Info									S26	Projector Details Required for Cage Design
EBG-7000, EB-G7000W	No Info									S26	Projector Details Required for Cage Design
EBG7905	No Info									S07	Projector Details Required for Cage Design
EB-L1100U	No Info									3	Projector Details Required for Cage Design
EB-L1300U	No Info									3	Projector Details Required for Cage Design
EBW16,G		325	243	79						1	
EB-W6 / X6 / S6		327	245	101						1,2	
EB-X20	No Info	300	230	80						1	Projector Details Required for Cage Design
EBX39	No Info									2	Projector Details Required for Cage Design
EBX-9		295	228	79						1	
EB-Z 8350 / EB-Z 8450/EB-Z9875	T-T113-WW	534	734	225						10	105-SUPM-10
EB-Z8000WU,Z8050W	T-T113-WW	534	734	225						S10	Special Plate 105 SUPM S10
EB-Z8050W	T-T113-WW	540	740	220						10	
EB-Z8450W	T-T113-WW	534	734	225						10	
EB-Z8455WU,Z8450W U,Z8355W,Z8350 W,Z10000,Z8150	T-T113-WW	734	534	225						10	
EB-Z9750U	No Info	534	740	255						S14	Projector Details Required for Cage Design
EB-Z9870/Z11000W/Z9900W/Z9800W/Z9870U/Z9750U/Z11000	No Info									S10	Projector Details Required for Cage Design
EH TW3200	No Info									3	Projector Details Required for Cage Design
EMP 50	T-T 104-II	300	220	100	N	Y	Y				
EMP 52	T-T 106-EE	305	210	120	N	Y	Y				Fits 140/4 without FMP Insert
EMP 61 / 81	T-T 108-NN	355	280	125	N	Y	Y				
EMP 735	T-T 107-GG	280	200	82	Y	Y	N				Fits 140/3 without FMP Insert
EMP 74	T-T 107-QQ	320	240	100	N	Y	Y				
EMP 7550	T-T 102-NN	345	245	95	Y	Y	Y				Fits 140/3 without FMP Insert
EMP 7600	T-T 101-HH	401	277	175	N	N	N				

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
EMP-50	T-T 104-II	300	220	100	N		Y	Y			
EMP-5100	T-T 101-OO	325	251	158	N		N	Y			Fits 140/6 without FMP Insert
EMP-52	T-T 106-EE	305	210	120	N		Y	Y			Fits 140/4 without FMP Insert
EMP-600 / 820	T-T 102-ZZ	350	315	115	N		N	Y			
EMP-6100	T-T110-G	465	345	160	N		N	N			
EMP-6110 & 6010	T-T112-WW	340	465	165							
EMP-715	T-T 103-GG	263	212	91	N		Y	Y			Fits 140/4 without FMP Insert
EMP-740 / 760	T-T 109-QQ	280	195	83	Y		Y	6			Fits 140/3 without FMP Insert
EMP-7550	T-T 102-NN	345	245	95	Y		Y	N			Fits 140/3 without FMP Insert
EMP-7600	T-T 101-HH	401	277	175	N		N	N			
EMP-820	T-T 102-ZZ	350	315	115	N		N	Y			
EMP-83 /822 /X5 /S5		327	245	108						1	
EMP-S1	T-T 104-VV	371	270	115	N		Y	Y			
EMPX3E	No Info									2	Projector Details Required for Cage Design
G6250W,G6750W U,G6650WU,G645 0WU,G6350,G6150 ,G6050W	T-T114-DD	505	405	170						S07	Projector Details Required for Cage Design
MP 7740i	T-T 106-PP	290	215	85	Y		Y	Y			Fits 140/3 without FMP Insert
PLV 9300nl	T-T 109-TT	480	365	200	N		N	N			

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
Hitachi											
CP-235	T-T110-LL	280	205	75	Y		Y	N			
CP-AW250N / A220N / A300N		345	303	100						1	
CP-DW25WN				100						1	
CPEX250			216							1	
CP-L750W; PT- L520	T-T 103-VV	405	305	152	N		N	N			Fits 140/6 without FMP Insert
CP-RX		285	202	73	Y		N	N			
CP-RX 94		306	221	83						1,2	Fits Spyda
CP-S210 / 235	T-T 106-MM	335	260	115	N		Y	Y			
CP-S225 / 275	T-T 102-OO	295	185	102	N		Y	Y			Fits 140/4 without FMP Insert
CP-S240 / X250 / X260	T-T109-VV	315	250	100	N		Y	Y			For Cage with Alarm see t-t110-UU
CP-S260 with Alarm, CP-S240 / S250	T-T110-UU										for no alarm see t-t109-V V
CP-SX1350	T-T107-JJ	425	320	160	N		N	Y			same as CP-X1200
CP-SX5500 / 5600	T-T 103-NN	340	275	125	N		Y	Y			
CP-SX635		418	319	154						2	
CP-WU 8440 / 8450		500	400	130						2	113-JJ
CPWU5500	No Info										Projector Details Required for Cage Design
CP-WU5500	114-NN										Projector Details Required for Cage Design
CPWU8461	No Info										Projector Details Required for Cage Design
CP-WX11000	T-T111-PP	480	270	440	N		N	N			
CP-WX12(WN) / X2021 / X3021(WN)		306	221	83						1	
CP-WX3011	T-T113-AA	320	280	113							
CP-WX3015WN									5,6		
CP-WX3030	No Info									1	Projector Details Required for Cage Design
CP-WX5500, CP- WU5500	No Info									2	Projector Details Required for Cage Design
CP-WX8240, CP- WX8255, CP- X8150, CP-X8160	T-T113-XX	498	404	135	N	N	N	N	N	2	
CPX 2515, CPX 3015											
CP-X10000		476	535	271						3	
CP-X1200 / 1250	T-T110-WW										With Shock Alarm
CP-X1200 / 1250 / 1350	T-T 107-JJ	419	320	160	N		N	Y			
CP-X2011N / X2511N / X3011N / X4011N		317	288	113						2	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
CP-X2015WN, X251WN, 4015WN, WX2515WN, WX3015WN	No Info	317	288	98						1	Projector Details Required for Cage Design
CP-X2021Wn, 2521WN, 3021WN	No Info					Y			3	2	Projector Details Required for Cage Design
CP-X2515		320	290	100						1	
CP-X270 / X325 / X320 / S310	T-T 102-DD	290	211	86	Y		N	N			Fits 140/3 without FMP Insert
CP-X275	T-T 102-OO	295	210	102	N		Y	Y			Fits 140/4 without FMP Insert
CP-X3014WN		317	288	113						1,2	
CP-X3020	T-T112-JJ	310	220	85							
CP-X3021WN, X2521WN,X3021W N	No Info	306	221	83	Y	Y			3	2	Projector Details Required for Cage Design
CP-X317 / 327 / 328, CP-S317 / 327, EDX3270, EDS3170 / 3270	T-T 104-AA	295	235	85	Y		Y	N			Fits 140/3 without FMP Insert
CP-X328, ED- X3280, CP-S318	T-T 106-YY	310	240	90	Y		Y	N			Fits 140/3 without FMP Insert
CP-X345	T-T 108-VV	310	240	85	Y		Y	N			Fits 140/3 without FMP Insert
CP-X380 - CP- X385	T-T 103-RR	300	230	100	N		Y	Y			
CP-X400, ED-X30	T-T111-AA	345	275	115			Y	Y	4,5,6		
CP-X430	T-T 103-II	365	265	120	N		Y	Y			
CP-X440 / X443 / X444	T-T 109-DD	340	265	110	N		Y	Y			Fits 140/4 without FMP Insert very Tight For Unit with Sonic Alarm Use T-T108-OO
CP-X445, CP- X444 with Sonic Alarm	T-T 108-OO	340	265	110	N		Y	Y			
CP-X502IN / X402IN / WX402IN		401	318	120						1,2	
CP-X-505 / 605 / 608	T-T112-NN	418	320	154	N		N	Y			Fitted by BTB 25-04-07
CPX635		418	319	155						2	
CP-X705	T-T111-U	418	319	154							
CP-X809		418	319	154						2	
CP- X8150,X8160,WX8 240,WX8255,SX83 50, WU8440,WU8450 WX8255A,X8170,	T-T113-XX	500	410	150						2	Also WX8625,WU8460. Fit UPM2
CP-X870		380	320	128						3	
CP-X885 / X880	T-T 104-HH	385	310	130	N		N	Y			
CP-X938 / X940; CP-S840	T-T 101-AA	336	248	105	N		Y	Y			Fits 140/4 without FMP Insert very Tight
CP-X950	T-T 101-DD	404	312	163	N		N	Y			Fits 140/6 without FMP
CP-X958 / 960 / 970 / 980 / 985; CP-S860	T-T 101-W	350	305	127	N		N	Y			

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
CP-X990 / X995	T-T 103-MM	350	306	145	N		N	Y			
ED-A220NM										2,3	
EDX10		305	249	86	Y		Y	Y			140/3 no insert
EDX250		182	157	95						2	
EDX-52		306	221	83						1	
ED-X8250 / 8255; ED-X12		305	249	86	Y		Y	Y			Fits 140/3 without FMP
<i>HP</i>											
VP 6110 / 6111 / 6120 / 6121		305	240	114	N		Y	Y			Fits 140/4 without FMP Insert
vp6315	T-T109-XX	295	272	115	N		Y	Y			Fits 140/4 without fixed plate
vp6325	No Info	280	255	102	N	N	Y	Y	4	?	Projector Details Required for Cage Design. Will fit a T-T140-4 without Fixed Plate.
xp8020	T-T110-H	445	275	142	N		N	N			
<i>Infocus</i>											
IN 124		300	240	70						2	
LitePro 240	T-T 104-NN	305	254	98	N		Y	Y			
LitePro 280	T-T 104-EE	280	215	95	N		Y	Y			
LitePro 350	T-T 103-EE	280	275	95	Y		Y	Y			Fits 140/3 without FMP Insert
LitePro 650	T-T 104-W	353	320	112	N		N	Y			
LitePro 730	T-T 102-EE	335	295	150	N		N	Y			
LitePro 750 / 755	T-T 102-HH	335	300	130	N		N	Y			
LP 260	T-T 101-TT	285	190	95	Y		Y	N			Fits 140/3 without FMP Insert
LP 290	T-T 108-PP	285	215	95	Y		Y	Y			Fits 140/3 without FMP Insert
LP 530 / 500	T-T 103-JJ	305	260	95	N		Y	Y			
LP 540	T-T 108-HH	296	260	107	N		Y	Y			Fits 140/4 without FMP Insert
X2	T-T 108-RR	330	245	115	N		Y	Y			Fits 140/4 without FMP Insert
<i>JVC</i>											
DLA-SX21	T-T 108-UU	360	310	140	N		Y	Y			Fits 140/5 without FMP Insert
<i>LG</i>											
LP-XG2	T-T 103-KK	290	235	103	N		Y	Y			Fits 140/4 without FMP Insert
<i>Liesegang</i>											
dv 290	T-T 101-BB	440	312	157	N		N	N			
dv 325	T-T 102-AA	330	250	100	N		Y	Y			

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
Mitsubishi											
EX320; EW330		282	232	114						1	
FD630U; WD620U; XD600U	111-Y	345	270	129					5	1,2,3	
HC5500		334	352	125						3	
LVP-S120E	T-T 104-KK	340	264	125	N		Y	Y			
LVP-SA51U; LVP-X70	T-T 102-YY	287	248	90	Y		Y	Y			Fits 140/3 without FMP Insert
LVP-X300U / X390 / X400	T-T 101-MM	385	295	140	N		N	Y			
LVP-X70U		292	240	79	Y		Y	N			May fit T-T 102-KK - needs checking. Fits 140/3 without FMP Insert
MH2850U		334	331	136							
SL & XL 4U / 5U /6U	T-T 106-XX	285	270	85	Y		Y	Y			Fits 140/3 without FMP Insert
SL 1U; XL 1U	T-T 102-XX	315	235	95	Y		Y	Y			Fits 140/3 without FMP Insert
SL 2U	T-T 107-LL	310	240	96	N		Y	Y			
UD8400U / 8350U / 8200U / 8100U	T-T-112-RR	490	510	199						S02	Special Only (105-SUPM-S02)
WD3300; XD3200; XD3500	T-T111-OO	450	400	190							
WD570U, XD550U, XD560U	T-T113-LL	330	258	130						2	
WD720		345	270	134						2	
WL2650U		334	326	124						2	
X490U / X500U	T-T 103-OO	380	305	155	N		N	Y			
XD 400U	T-T 108-QQ	315	245	110	N		Y	Y			Fits 140/4 without FMP Insert
XD 700		345	270	144						2	
XD2000U	T-T 109-RR	430	335	175	N		N	N			
XD500U	No Info	332	250	102	N	N	Y	Y	4	?	Projector Details Required for Cage Design; Will fit a T-T140-4 without fixed plate. Similary will fit Pluto Lite 3
XD8100											Projector Details Required for Cage Design Special 105 SUPM S02 Pt no allocated 112L but not drawn
XD8500U	T-T113-ZZ	480	420	200							
XL 5950U / 5980	T-T 110-VV	430	380	180	N		N	N			
XL 5980U	T-T110-V V	430	380	180							
XL1550U / XL2550U		334	331	124						2	
XL25U	T-T 106-HH	380	330	180	N		N	N			
XL4U	T-T 106-XX	285	270	85	Y		Y	U			Fits 140/3 without FMP Insert
XL6					Y						
XL6600U; XL6500U; WL6700U	T-T111-HH	375	430	210							
XL7100	No Info									S11	Projector Details Required for Cage Design. Special Plate 105SUPM S11

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>					<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
XL7100U; WL7200U; UL7400U	T-T113-GG	481	510	179	N	N	N	N	N	N	S11	Special Only: T05-SUPM Special 105 SUPM S11

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
NEC											
GT 5000	T-T 108-YY	550	525	270	N		N	N			Bespoke Cage 4mm Plates
GT1150	T-T 103-HH	490	415	210	N		N	N			
LT 240	T-T 106-VV	310	210	85	Y		Y	Y			Fits 140/3 without FMP Insert
LT155	T-T 104-UU	270	210	75	Y		Y	N			
M230X / 260W / 260X / 300X / 350X		339	257	108						1	
M260XS		398	309	140				Y	6	1	
M311X		339	257	108						2	
M325WS, M302WS, M322XS	No Info	358	291	98					5	2	Projector Details Required for Cage Design
M361X/M271X/M27 1W/M311X/M311W		339	257	108						1,2	will fit SUPM-2, but overhands depth by 19mm
M402W,362W,322 W,402X,322X,282X ,362X,402H	No Info	368	291	108						2	Projector Details Required for Cage Design
M420X		398	282	127						2	
ME301	No Info										OR : Projector Details Required for Cage Design
MT1030+ Multisync	T-T 101-KK	396	338	130	N		N	Y			
MT1050 Multisync	T-T 101-UU	370	280	125	N		Y	Y			
MT1060 / 1075	T-T 107-AA	345	325	130	N		N	Y			
MT271W		339	257	108						2,3	
NP 1000 / 1150 / 2000 / 2150 / 3150 / 3151W	T-T110-AA	399	359	150	N		N	N			
NP 3250w	No Info									2	Projector Details Required for Cage Design
NP4100		505	386	210						3	
P350W		398	282	127					6	2	
P420X		398	282	127						2	
P451W, P451X, P501X, PE501X	No Info	398	282	130						1	Projector Details Required for Cage Design
P502H	No Info									1	Projector Details Required for Cage Design
P502H 5000	No Info									2	Projector Details Required for Cage Design
PA 703W	No Info									2	Projector Details Required for Cage Design
PA500X / 550W / 600X/500U	T-T113-CC	499	370	165	N	N	N	N	N	2,3	Also 105 SUPM S09 - M6 Holes
PA622U/PA522U/P A672W/PA572W/P A722X/PA622X/PA 621U/PA521U/PA6 71W/	No Info	499	368	162							OR : Projector Details Required for Cage Design
PA803U / PA723U/ PA653U/ PA853W/ PA703W/ PA903X	114-VV										2-HD Projector Details Required for Cage Design
PE401H		398	282	115						1	
PH-1000U	No Info									S13	Projector Details Required for Cage Design Special Plate 105 SUPM S13
PX1004UL	No Info									S14	Projector Details Required for Cage Design

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Daten Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
PX602UL	No Info	484	509	217						S14	Depth of Projector inch lense = 574mm
PX700W / 750U / 800X		479	523	219						S14	105-SUPM-S14
PX803UL	No Info	500	506							S14	Projector Details Required for Cage Design
V300X/V260X/V300W/V260W/V230X/V260/V230	No Info	310	247	115	N	N	Y	N	4	3	Projector Details Required for Cage Design. Fits a T-T140-4 without Fixed Plate
VT 45	T-T 104-CC	300	206	92	N		Y	Y			Fits 140/3 without FMP Insert
VT 460K	T-T 104-OO	310	230	100	N	Y	Y	N	4	?	Will fit a Pluto Lite-3 without Fixed Plate
VT 650	T-T 107-II	290	250	120	N		Y	Y			Fits 140/4 without FMP Insert
VT 770	T-T 109-AA	340	245	110	N		Y	Y			Fits 140/4 without FMP Insert
VT440 / 540	T-T 101-VV	283	242	115	N		Y	Y			Fits 140/4 without FMP Insert
VT47 / 470 / 570 / 575 / 670	T-T 108-BB	300	290	110	N		Y	Y			
VT480		310	265	125	N		Y	Y			
VT58					N		Y	Y			
WT610					N		N	Y			OHP Style Projector odd shape
WT615					N		N	Y			OHP Style Projector odd shape.
Note Vision											
XGNV4SE	T-T 101-EE	312	250	133	N		Y	Y			Fits 140/5 without FMP Insert
Optima											
EH200ST	No Info	314	224	110						2	Projector Details Required for Cage Design
EX615 & EW615	No Info	324	234	97		Y			4	1	Projector Details Required for Cage Design
Optoma											
DH33	T-T113-MM	380	313	120							
DS211		287	192	84						1	
EH1020		324	234	97		Y			4	1	Projector Details Required for Cage Design
EH300	No Info	324	234	115	NO	NO	YES			1	Projector Details Required for Cage Design Fits 140/4 without Plate
EH7500											Special Plate Required
EM415	No Info	285		140						1	Projector Details Required for Cage Design
EP 739	T-T 108-MM	266	240	95	Y		Y	Y			Fits 140/3 without FMP Insert
EP 758	T-T 108-LL	355	270	130	N		Y	Y			Fits 140/5 without FMP Insert
EP729		200	152	62	Y		N	N			
EP750	T-T 106-II	280	235	105	N		Y	Y			Fits 140/4 without FMP Insert
EW775		431	355	170						2	
EX 784		327	259	107					4	1	
EX610		306	224							1	Fits Spyda
EX785	No Info	431	355	168					6	UPM	Projector Details Required for Cage Design
X303										1	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
Panasonic											
FZ570, FW530	No Info									1	Projector Details Required for Cage Design
P-FX400 / FX430	T-T112 X-X	430	320	125							SUPM1
PT L6500	T-T 103-LL	500	475	180	N		N	N			
PT- MZ670, MZ570, MZ630, MZ530	No Info	560	428	205						S31	Projector Details Required for Cage Design
PT-AE2000-E	T-T111-KK	460	300	100	N		N	N			
PT- CW330/CW240/CX 300		357	367	152						1/2	
PT-D10000 / DW10000	T-T111-LL	578	607	320	N		N	N			
PT-D3500E	T-T 109-LL	430	335	170	N		N	N			Bespoke Cage 4mm Plates
PT-D4000E	T-T111-EE	530	425	170							Top & Bottom with Bars 2 Locks was T-T108-XX
PT-D5000ELS										3	
PT-D5500E / D5600 / D5700 / DW5000 / D4000E	T-T111-EE	540	430	175	N		N	N			Bespoke Cage 3mm Plates was T-T108-XX
PT-D6000 / DW6300 / DZ6710 / DZ6700/ D5000, DZ7770E, DZ7770EL	T-T111-RR	500	423	175						3,S0	SUPM 2/3 cover four nearest mounting holes. SUPM 3 gives more coverage on projector. Use SUPM-S01 for all 5 holes.
PT-DW7000 / PT- D7700	T-T109-WW	540	540	200	N		N	N			
PTDZ 13	No Info										OR 2 Projector Details Required for Cage Design
PT-DZ 680 / DW640 / DX610/D6000	T-T111-RR	498	532	175						S01	Requires special
PT-DZ21K /DS20K / DW17K		620	730	291							Requires special plate
PT-DZ570U / DW530 / DX500U	T-T112-UU	332	425	168						2	
PT-DZ780B	No Info	498	521	175						S01	Projector Details Required for Cage Design
PT-DZ870 / DW830 / DX100	T-T114-BB	500	545	200						S22	SUPM3 uses 5 holes. Special needed for all 6.Customer has advised SUPM3 Bends with PT-DZ870. Don't use for future.
PT-DZ8700 / DS8500 / DW8300		490	550	200						3	
PT-EW540, EX510	No Info	530	445	177						S20	Projector Details Required for Cage Design
PT-EW650	No Info									S20	Projector Details Required for Cage Design
PT-EZ570 / EW630 / EX600 / EW530 / EX500/EZ580EW6 40/EX610		490	434	164						S12	Special Plate - 105-SUPM-S12
PT-EZ570L / EW630L / EX600L / EW530L / EX500L	T-T112-MM										Special Plate - 105-SUPM-S12
PT- EZ770,EW730Z, EX800Z	No Info	530	445	177						S20	Projector Details Required for Cage Design

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
PT-F100NT / F200NT / F300NT	T-T110-PP	430	394	145	N		N	N			The 300 is 4mm taller
PT-FW100NT / F200NT / F200		430	319	125						2	
PT-FW340 / FX400 / FW430		430	323	126						2,3	Overheats in cage (but not with SUPM). Special cage required: 112-XX
PTL 720E	T-T 103-W	265	205	85	Y		Y	Y			Fits 140/3 without FMP Insert
PT-L60NT / LB60 / LB55NT / LB55	T-T109-ZZ	327	233	85	Y		Y	Y			140/3 fits without 140 insert
PT-L6500	T-T103-LL	500	290	180	N		N	N			
PT-L701E / L702 / L711 / L712	T-T 101-CC	325	237	100	N		Y	Y			Fits 140/4 without FMP Insert
PT-L720E	T-T103-WW	265	205	85	Y		Y	Y			Fits 140/3 without FMP Insert
PT-L735	T-T 106-CC	255	360	120	N		Y	Y			
PT-L780NTE, PT-L785	T-T107-UU	420	290	136	N		N	Y			
PT-L797PEL	T-T 101-II	466	332	135	N		N	N			
PT-LB10 / 10VE / 20	T-T 107-VV	300	210	75	Y		Y	N			
PT-LB30 / LB30NTE	T-T 109-GG	325	234	74	Y		N	N			
PT-LB3-EA		327	285							1	
PT-LB50NTEA / LB50 / LB50S	T-T109-YY	300	215	67	Y		N	N			
PT-LB80EA	T-T111-II	370	235	100			Y	Y	5,6		
PT-LB90 / LB90NT / LB78V / LB75V									5	3	
PT-LC50E	T-T 108-JJ	265	205	85	Y		Y	Y			Fits 140/3 without FMP Insert
PT-LC55E	No Info	310	244	87	N	Y	Y	N	3	?	Projector Details Required for Cage Design. Will Fit a T-T140-3 without Fixed Plate
PT-LC75E	T-T 103-TT				Y						Fits 140/3 without FMP Insert
PT-LC76E / LC80 / LC56	T-T 106-GG	300	260	80	Y		Y	N			Fits 140/3 without FMP Insert Also tight fit with 140/4 FMP
PT-LM1E / LM2	T-T107-MM	255	210	70	Y		N	N			
PT-LW25H / LX30H / LX26H / LX26 / LX22		349	247	106						3	
PT-LW321/LW271		288	231	100						1	
PT-LZ370		470	380	151						3	
PT-RZ12K / PT-RS11K	No Info	578	740	324						S25	Dimensions do not include Lense
PT-RZ370 / RZ 470 / RW330 / RW430	113-RR	455	416	137						3	See Dalen Cage Number
PT-RZ570W	114-LL	498	460	168						3	Fits Cage: 114-LL Depth shown is without lense. Depth with lense = 492mm
PT-RZ670B/W/LB/LW	114-BB	498	538	200						3	Projector Details Required for Cage Design

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
PT-RZ970/RW930/RX10/RZ770/RW730/RZ660/RW620	114-BB	498	538	201						3	Depth shown without lense
PT-TW330 / TW240 / TX300		288	246	100						1	
PT-VW330 / VX400 / VX400NT		350	278	97						1	
PT-VW330A		350	270	107						1	
PT-VW430 / VX500 / VW435N / VX505N / VW431D / VW400 / VW440 / VX 510		379	305	107						2/3	SUPM 2 - Covers 4 nearest holes to right SUMP 3 - Covers all 5 holes
PT-VW530, VX600, VZ570	No Info	389	332	120						3	Projector Details Required for Cage Design
PT--VZ570 VW530 VX600	No Info	389	332	120						3	Projector Details Required for Cage Design
PT-VZ570/VZ470/VW530/VX600	No Info									3	Projector Details Required for Cage Design
PT-VZ580, VW540, VX610	No Info									3	Projector Details Required for Cage Design
VZ580	No Info									3	Projector Details Required for Cage Design
<i>Philips</i>											
LC 1041 XG10	T-T 101-YY	370	262	145	N		Y	Y			Fits 140/5 without FMP Insert
LC 3132 / 3142	T-T 104-MM	330	237	115	N		Y	Y			Fits 140/4 without FMP Insert
LC 4245 XG20;	T-T 102-GG	466	332	135	N		N	N			Also LC4031 - 4033/40 - 4033/50 - 4041 - 4043/40 - 4043/50 - 4235/40 - 4236/40 - 4241/40 - 4242/40 - 4245/40 - 4246/40. Also Hopper SV10.
LC 4331 / 4341 / 4433	T-T 101-QQ	325	228	118	N		Y	Y			Fits 140/4 without FMP Insert
ProScreen LC 4750	T-T 102-BB	344	330	175	N		N	N			
<i>Pioneer</i>											
RVD XG10	T-T 101-ZZ	412	335	132	N		N	Y			
<i>Plus</i>											
U3 810SF	T-T106-NN	210	175	70	Y		N	N			
U4 111	T-T106-OO	200	240	70	Y		N	N			
<i>Projetiondesign</i>											
F1	T-T108-KK	280	250	95	Y		Y	Y			Fits 140/3 without FMP Insert Bespoke Cage 4mm Plates
<i>Prokia</i>											
C755MP	T-T107-WW	285	205	95	Y		Y	Y			Fits 140/3 without FMP Insert
<i>Proxima</i>											
DP 6105; DP 6150	T-T 102-II	330	255	110	N		Y	Y			
DP 9280	T-T 101-RR	320	460	165	N		N	N			
DP9200	T-T 102-RR	400	280	168	N		N	Y			Fits 140/6 without FMP Insert
DR 9320	T-T 102-CC	391	577	245	N		N	N			

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Sahara</i>											
AV 2100 / 3100	T-T 103-CC	350	275	110	N		Y	Y			
AV 600 SB	T-T 102-MM	325	250	105	N		Y	Y			Fits 140/4 without FMP Insert
<i>Sahara/Delta</i>											
AV2100	T-T107-EE	350	275	110	N		Y	Y			
AV3107	T-T107-RR	280	315	120	N		Y	Y			Use Interactive Spread Sheet
AV-600 SB	T-T102-MM	325	250	105	N		Y	Y			Fits 140/3 without FMP Insert
S4000	T-T109-BB	365	280	120	N		Y	Y			

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
Sanyo											
DET100		400	520	243							
ET30L		350	445	165						3	
PDG-DHT100; 8000L	T-T112-CC	425	530	245							
PDG-DWL2500		321	385	178						3	
PDG-DWT50L	T-T111-TT	505	385	205							Top & Bottom Plate Design
PLC- 8810 / 8815	T-T 102-VV	335	260	167	N		N	Y			
PLC XD 2200 / 2600		335	247	92						2	
PLC- XM100L, XM150L, XM100, XM150	T-T111-Z	490	350	165							T-T105 S08 bespoke plate
PLC XP200L		370	440	187							No SUPM
PLC XU100		335	232	93						3	
PLC XU301A		327	266	92						3	
PLC-SE10 / 15; PLC- XU30 / 33	T-T 104-QQ	335	248	108	N		Y	Y			Fits 140/3 without FMP Insert
PLC-SP10B	T-T 102-JJ	390	270	145	N		N	Y			
PLC-SU07N	T-T107-YY	215	320	130	N		Y	Y			Fits 140/5 without FMP Insert
PLC-SU50 see PLC-XU50	T-T106-KK	300	220	90	Y		Y	Y			Fits 140/3 without FMP Insert
PLC-SW10; XW10	T-T 101-TT	285	190	90	Y		Y	N			Fits 140/3 without FMP Insert
PLC-SW20	T-T 103-DD	260	225	93	Y		Y	Y			Fits 140/3 without FMP Insert
PLC-SW30	T-T 106-LL	275	190	95	Y		Y	N			Fits 140/3 without FMP Insert
PLC-WM4500		490	435	164						2	
PLC-WM5500L / ZM5000L	T-T112-MM	491	371	164	N		N	N			same as Panasonic PT-EW630
PLC-WXU700A; PLC-XU106	T-T112-VV	335	260	93						3	
PLC-XC50 / 55	T-T111-NN	410	265	112	N		N	Y	6		
PLC-XE34		95	247	334						2	
PLC-XF10BL; PLC- 9005	T-T 102-CC	577	391	245	N		N	N			
PLC-XF31	T-T 104-PP	610	450	230	N		N	N			
PLC-XF41	T-T 104-X	770	580	235	N		N	N			
PLC-XF60A	T-T110-DD	518	606	252	N		N	N			
PLC-XM100L	T-T111-ZZ	490	372	165						S08	Special Only
PLC-XP07B	T-T 102-UU	375	270	142	N		Y	Y			
PLC-XP100L	T-T111-CC	370	442	187							
PLC-XP30 / XP21; OLC-XP18B Pro xtraX	T-T 101-RR	450	320	165	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP40	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP41	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP45	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
PLC-XP46,	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP50	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP51	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP55	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP56	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XP57	T-T 103-AA	410	320	170	N		N	Y			Fits 140/6 without FMP Insert
PLC-XT11 / 15 / 16	T-T 106-DD	415	310	160	N		N	Y			Fits 140/6 without FMP Insert
PLC-XT20, 20L, 20K, 21, 21L, 25, 25L, 25K, 35L	T-T110-KK	350	450	168	N		N	N	6		Also Eiki LC-XG300
PLC-XT25	T-T110-KK	348	445	157							PLUTO-lite 6 in Theory
PLC-XTC50L	T-T112-II	447	545	175				N			
PLC-XU106	T-T112-VV	335	260	93							
PLC-XU20B / SU20B	T-T 101-NN	330	242	102	N		Y	Y			Fits 140/4 without FMP Insert
PLC-XU30 / SE10	T-T 102-TT	335	228	108	N		Y	Y			Fits 140/4 without FMP Insert
PLC-XU300A	T-T112-YY	327	232	90							
PLC-XU32 / 40	T-T 104-DD	335	250	108	N		Y	Y			Fits 140/4 without FMP Insert
PLC-XU4000		350	255	98						2	
PLC-XU48		297	213	71	Y		N	N			
PLC-XU50 / XU55 /SU50	T-T 106-KK	300	220	90	Y		Y	Y			Fits 140/3 without FMP Insert
PLC-XU51 / XU56 / XU58		297	218	70	Y		N	N			
PLC-XU70	T-T109-JJ	295	210	85	Y		Y	Y			Fits 140/3 without FMP Insert
PLC-XU73		295	208	69	Y		N	N			
PLC-XU75 / XU78	T-T111-JJ	335	240	90	N		Y	Y			Fits 140/3 without insert & All Pluto Lites
PLC-XW 200 / 200K / 250 / 250K		334	247	90						2	
PLC-XW20 / SW20	T-T 103-DD	260	225	93	Y		Y	Y			Fits 140/3 without FMP Insert
PLC-XW50 / XW55	T-T110-OO	330	240	100	N		Y	Y			Also FitsT-T140/4
PLC-YF35	T-T 104-Y	600	440	180	N		N	N			
PLC-Z3	T-T109-EE	360	260	120	N		Y	Y			
PIC-ZM5000 / 5000L	T-T112-MM	490	372	164							
PLL-XW57		330	237	95						1	
PLV-70; PLV-80	T-T 106-JJ	410	325	180	N		N	N			
PLV-WF10	T-T104-PP	610	450	230	N		N	N			Bespoke Only
PLV-Z4	T-T 109-PP	385	310	130	N		N	Y			
POA-SP-SU31	T-T 106-BB	525	340	185	N		N	N			
PWL2500		350								3	
WM5500		490	435	165						2	SUPM-2 for 3 holes. Special needed for all holes.

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Saville</i>											
NPX 3000	No Info										
TX2000	T-T106-QQ	300	250	100	N		Y	Y			
X 1100	T-T 102-W	295	250	92	Y		Y	Y			Fits 140/3 without FMP Insert
XL 1100 Powerite	T-T 101-KK	380	338	150	N		N	Y			
<i>Seleco</i>											
SLC 600PLUS	T-T 104-RR	320	240	135	N		Y	Y			Fits 140/5 without FMP Insert
<i>Sharp</i>											
PG-B10S	T-T108-DD	300	230	110	N		Y	Y			Fits 140/4 without FMP Insert
PG-C30XE	T-T 101-EE	320	250	133	N		Y	Y			Fits 140/4 without FMP Insert
XG-C60X	T-T109-KK	400	300	115	N		N	Y			
XG-P25X	T-T107-PP	430	320	190	N		N	N			
XG-PH50X	T-T110-J	415	480	200	N		N				
XG-XV2E	T-T 104-G	540	360	210	N		N	N			
XR-10X	T-T109-II	320	290	120	N		Y	Y			

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
Sony											
CX235		410	320							1,2	
CX5	T-T 104-ZZ	284	230	75	Y		Y	N			
PHZ10	No Info									2	Projector Details Required for Cage Design
SX50		286	284	96	N		Y	Y			
VPL EW225 / EW245 / EW275 / EX225 / EX245 / EX275		365		106						1,2,3	
VPL EW348/EW345/EW 315/EX345/EX340/ EX315/EX310	No Info									3	Projector Details Required for Cage Design
VPL FH500		530	545	213							Requires a special cage
VPL- FH500L		530	545	213						S17	Requires a special
VPL-CS4	T-T 104-BB	276	213	90	Y		Y	Y			Fits 140/3 without FMP Insert
VPL-CW225		406	331	113						1,2,3	
VPL-CX63		330	286	95	N		Y	Y			
VPL-ES1	T-T106-ZZ	300	240	90	Y		Y	Y			Fits 140/3 without FMP Insert
VPL-EX3		308	251	99			Y	Y		1	
VPL-FE40-20 / FX40 / FX41 / FW41	T-T111-DD	535	352	145	N		N	N			
VPL-FH30 / FH35/FH36	T-T112-ZZ	390	463	148						1,2,3	
VPL-FHZ55		390	487	148						2,3	
VPL-FHZ65	No Info									3	Projector Details Required for Cage Design
VPL-FHZ700L	No Info	530	545	213						S17	Projector Details Required for Cage Design
VPL-FX200E	T-T 103-Z	635	535	235	N		N	N			
VPL-FX50	T-T 103-QQ	485	460	165	N		N	N			
VPL-HW30S										3	
VPL-PHZ10	No Info									2	Projector Details Required for Cage Design
VPL-PX10 XGA	T-T 102-PP	325	280	135	N		Y	Y			Fits 140/5 without FMP Insert
VPL-PX20 XGA	T-T 104-JJ	340	336	143	N		N	Y			
VPL-PX30	T-T 109-MM	340	340	150	N		N	Y			
VPL-PX40		420	325	145	N		N	Y			Fits 140/6 without FMP Insert Coud Be Tight
VPL-PX41	T-T 109-NN	425	325	150	N		N	Y			Fits 140/6 without FMP Insert Coud Be Tight Bespoke Cage 4mm Plates
VPL-VW260ES/ VW360ES/VW550 ES	No Info									2	Projector Details Required for Cage Design
VPL-X1000	T-T107-ZZ	340	290	130	N		Y	Y			Fits 140/5 without FMP Insert
VPL-X600	T-T 101-XX	340	300	136	N		N	Y			
Telex											
P600	T-T 102-LL	380	300	165	N		N	Y			

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit PlutoLite</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Toshiba</i>											
TDP-D1	T-T107-HH	250	205	95	Y		Y	Y			Fits 140/3 without FMP Insert
TDP-T80	T-T108-TT	300	265	100	N		Y	Y			Fits 140/4 without FMP Insert Also TDP-TW90U
TLP 260	T-T 103-XX	285	260	102	N		Y	Y			Fits 140/4 without FMP Insert
TLP 470	T-T 103-YY	320	235	91	Y		Y	Y			Fits 140/3 without FMP Insert
TLP 551	T-T 103-PP				N		N	N			Bespoke Only OHP type
TLP 680	T-T 103-UU	318	233	90	Y		Y	Y			Fits 140/3 without FMP Insert
TLP S30	T-T 104-TT	278	200	87	Y		Y	Y			Fits 140/3 without FMP Insert
TLP-S10	T-T 106-W	310	210	85	Y		Y	Y			Fits 140/3 without FMP Insert
TLP-T520	T-T 108-CC	300	250	100	N		Y	Y			
TLP-X200EDU	T-T110-I	290	250	92	Y		Y	Y			Will fit a 140/3 without Insert
<i>View Sonic</i>											
PJ 510	T-T 107-XX	330	290	105	N		Y	Y			
<i>z</i>											
<i>z</i>											
<i>zz</i>											

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.