

Dalen Limited

Available Projector Security Devices

<i>Proj Model</i>	<i>Dalen Cage No</i>	<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>			
3M												
MP 8725	T-T 106-A	325	260	105	N	N	Y	Y	Y	?		
MP 8749	T-T 106-UU	300	230	100	N	Y	Y	Y	Y	?		
ASK												
A4 Compact	T-T 101-LL	290	225	115	N	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert	
C1	T-T 107-TT	320	240	115	N	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert	
C105	T-T 102-II	310	250	105	N	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert	
C50	T-T 108-AA	320	260	120	N	N	Y	Y	Y	?		
C95	T-T 102-II	310	250	105	N	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert	
Barco												
6300	T-T 103-BB	572	372	258	N	N	N	N	N	?		
id H250 & id H500	T-T111-GG	414	589	196	N	N	N	N	N	N	Micrometer Adjustment Otherwise Use T-T110-CC	
IQ G300	T-T 109-CC	455	410	200	N	N	N	N	N	?		
MGP 15, id H2500 & id H500	T-T110-CC	414	589	196	N	N	N	N	N	N	If micrometer adjustment required use T-T111-GG	
Benq												
PB 6100	T-T 108-II	260	220	100	N	Y	Y	Y	Y	?		
PB 6200	T-T 108-II	260	220	100	N	Y	Y	Y	Y	?		
Boxlight												
6001E	T-T 104-LL	385	260	160	N	N	N	Y	Y	N	?	Fits 140/6 without FMP Insert
Canon												
LV-7210	T-T 108-W	410	325	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
LV-7510	T-T 101-GG	390	272	143	N	N	N	Y	Y	Y	?	
LV-S3	T-T 107-NN	300	250	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
SX50	No Info	286	284	96	N	N	Y	Y	?	Y	?	Projector Details Required for Cage Design
Casio												
XJ-450	T-T 108-GG	280	200	77	Y	Y	Y	N	N	Y	?	Fits 140/3 without FMP Insert
Christie												
HD6K-M	T-T112-TT	500	550	260	?	?	?	?	?	?	?	
LWU420	T-T112KK	427	320	160	?	?	?	?	?	?	?	
LWU505	T-T113-BB	490	365	160	?	?	?	?	?	?	?	
LX32	T-T 109-HH	420	310	165	N	N	N	N	N	N	?	
LX33	T-T 107-OO	320	255	120	N	N	Y	Y	Y	Y	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Dalen</i>												
T-T 105-A Universal Projector Security Cage	T-T 105-A											Offer 140/5 or 140/6. They have enough capacity to accommodate any projector that this cage can.
T-T 140/3 Universal Projector Cage	T-T 140/3	340	255	95								Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
T-T 140/4 Universal Projector Cage	T-T 140/4	340	255	120								Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
T-T 140/5 Universal Projector Cage	T-T 140/5	388	303	145								Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
T-T 140/6 Universal Projector Cage	T-T 140/6	436	351	170								Sizes just for info. Reduce height by 20 mm when using internal plate. Use Interactive Spread Sheet
<i>Dell</i>												
4100 MP	T-T 108-ZZ				?	?	?	?	?	?	?	
<i>Delta/Sahara</i>												
AV3107	T-T107-RR	280	315	120	N	N	Y	Y	N	?	?	##### Use Interactive Spread Sheet
<i>Eiki</i>												
LC 7000	T-T 101-JJ	367	296	148	N	N	N	Y	Y	Y	?	
LC-X 990	T-T 101-GG	385	272	143	N	N	N	Y	Y	Y	?	
LC-X60 & LC-X71 There is a PROBLEM	T-T 109-OO	322	435	172	N	N	N	Y	?	N	?	Fits 140/6 without FMP Insert
LC-X984	T-T 102-UU	375	270	142	N	N	Y	Y	Y	N	?	Fits 140/5 without FMP Insert
LC-XB28	No Info	295	208	69	Y	Y	N	N	?	?	?	Projector Details Required for Cage Design
LC-XG300 & LC-XG250	T-T110-KK	350	450	168	N	N	N	N	N	N	?	Also Sanyo PLC-XT20
LC-XNB2W	T-T 101-NN	325	242	102	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
<i>Eizo</i>												
Flexscan IP420U	T-T 102-KK	305	255	100	N	N	Y	Y	Y	Y	?	May also suit Mitsubishi LVP-X70U

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Epson</i>												
5300	T-T 101-PP	360	305	130	N	N	N	Y	Y	Y	?	
7100	T-T 101-OO	325	251	158	N	N	N	Y	Y	N	?	Fits 140/6 without FMP Insert
7200	T-T 101-PP	360	305	130	N	N	N	Y	Y	Y	?	
7250	T-T 101-PP	360	305	130	N	N	N	Y	Y	Y	?	
EB-G5100, 5150 & 5200, 5300, 5350	T-T111-QQ	470	310	150	?	?	?	?	?	?	?	
EB-Z8050W	T-T112-PP	540	740	220	?	?	?	?	?	?	?	Projector Details Required for Cage Design
EMP 50	T-T 104-II	300	220	100	N	Y	Y	Y	Y	Y	?	
EMP 52	T-T 106-EE	305	210	120	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
EMP 61 / 81	T-T 108-NN	355	280	125	N	N	Y	Y	Y	Y	?	
EMP 735	T-T 107-GG	280	200	82	Y	Y	Y	N	Y	Y	?	Fits 140/3 without FMP Insert
EMP 74	T-T 107-QQ	320	240	100	N	Y	Y	Y	Y	Y	?	
EMP 7550	T-T 102-NN	345	245	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
EMP 7600	T-T 101-HH	401	277	175	N	N	N	N	N	N	?	
EMP-50	T-T 104-II	300	220	100	N	Y	Y	Y	Y	Y	?	
EMP-5100	T-T 101-OO	325	251	158	N	N	N	Y	Y	N	?	Fits 140/6 without FMP Insert
EMP-52	T-T 106-EE	305	210	120	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
EMP-600 / 820	T-T 102-ZZ	350	315	115	N	N	N	Y	Y	Y	?	
EMP-6100	T-T110-G	465	345	160	N	N	N	N	N	N	?	
EMP-6110 & 6010	T-T112-WW	340	465	165	?	?	?	?	?	?	?	
EMP-715	T-T 103-GG	263	212	91	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
EMP-740 / 760	T-T 109-QQ	280	195	83	Y	Y	Y	6	Y	Y	?	Fits 140/3 without FMP Insert
EMP-7550	T-T 102-NN	345	245	95	Y	Y	Y	N	Y	Y	?	Fits 140/3 without FMP Insert
EMP-7600	T-T 101-HH	401	277	175	N	N	N	N	N	N	?	
EMP-820	T-T 102-ZZ	350	315	115	N	N	N	Y	Y	Y	?	
EMP-S1	T-T 104-VV	371	270	115	N	N	Y	Y	Y	Y	?	
PLV 9300nl	T-T 109-TT	480	365	200	N	N	N	N	N	N	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
Hitachi												
CP-235	T-T110-LL	280	205	75	Y	Y	Y	N	?	Y	Y	Projector Details Required for Cage Design
CP-L750W; PT-L520	T-T 103-VV	405	305	152	N	N	N	N	N	N	?	Fits 140/6 without FMP Insert
CP-RX	No Info	285	202	73	Y	Y	N	N	?	?	?	Projector Details Required for Cage Design
CP-S210 / 235	T-T 106-MM	335	260	115	N	N	Y	Y	N	Y	?	
CP-S225 / 275	T-T 102-OO	295	185	102	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
CP-S240, CP-X250, CP-X260	T-T109-VV	315	250	100	N	Y	Y	Y	?	Y	?	For Cage with Alarm see t-t110-UU
CP-S260 with Alarm also CP-S240 & CP-S250	T-T110-UU				?	?	?	?	?	?	?	for no alarm see t-t109-V V
CP-SX1350	T-T107-JJ	425	320	160	N	N	N	Y	N	N	Y	same as CP-X1200
CP-SX5500 / 5600	T-T 103-NN	340	275	125	N	N	Y	Y	Y	Y	?	
CP-WX11000	T-T111-PP	480	270	440	N	N	N	N	N	N	?	
CP-WX3011	T-T113-AA	320	280	113	?	?	?	?	?	?	?	Projector Details Required for Cage Design
CP-X1200 & 1250	T-T110-WW				?	?	?	?	?	?	?	With Shock Alarm
CP-X1200 / 1250 / 1350	T-T 107-JJ	419	320	160	N	N	N	Y	?	Y	Y	
CP-X270; CP-X325; CP-X320; CP-S310	T-T 102-DD	290	211	86	Y	Y	N	N	Y	Y	?	Fits 140/3 without FMP Insert
CP-X275	T-T 102-OO	295	210	102	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
CP-X3020	T-T112-JJ	310	220	85	?	?	?	?	?	?	Y	
CP-X317 327 / 328; CP-S317 / 327; EDX3270; EDS3170 / 3270	T-T 104-AA	295	235	85	Y	Y	Y	N	Y	Y	?	Fits 140/3 without FMP Insert
CP-X328; ED-X3280; CP-S318	T-T 106-YY	310	240	90	Y	Y	Y	N	Y	Y	?	Fits 140/3 without FMP Insert
CP-X345	T-T 108-VV	310	240	85	Y	Y	Y	N	Y	Y	?	Fits 140/3 without FMP Insert
CP-X380 - CP-X385	T-T 103-RR	300	230	100	N	Y	Y	Y	Y	Y	?	
CP-X400, ED-X30	T-T111-AA	345	275	115	?	?	?	?	?	?	?	Also fits T-T140-5 & 6 & Pluto Lite 4, 5 & 6
CP-X430	T-T 103-II	365	265	120	N	N	Y	Y	N	Y	?	
CP-X440, CP-X443, CP-X444	T-T 109-DD	340	265	110	N	Y	Y	Y	N	Y	?	Fits 140/4 without FMP Insert very Tight For Unit with Sonic Alarm Use T-T108-OO
CP-X445 & CP-X444 with Sonic Alarm	T-T 108-OO	340	265	110	N	N	Y	Y	N	Y	?	
CP-X-505 & 605 & 608	T-T112-NN	418	320	154	N	N	N	Y	?	?	?	Fitted by BTB 25-04-07
CP-X705	T-T111-U	418	319	154	?	?	?	?	?	?	?	Ceiling Mount Not done yet
CP-X885 CP-X880	T-T 104-HH	385	310	130	N	N	N	Y	N	Y	?	
CP-X938 / 940; CP-S840	T-T 101-AA	336	248	105	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert very Tight
CP-X950	T-T 101-DD	404	312	163	N	N	N	Y	Y	N	?	Fits 140/6 without FMP
CP-X958, 960, 970, 980, 985; CP-S860	T-T 101-W	350	305	127	N	N	N	Y	Y	Y	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
CP-X990 - CP-X995	T-T 103-MM	350	306	145	N	N	N	Y	Y	Y	?	
EDX10	No Info	305	249	86	Y	Y	Y	Y	Y	Y	?	Apr 06 New Orange coloured unit for education. 140/3 no insert
ED-X8250 & 8255	No Info	305	249	86	Y	Y	Y	Y	?	?	?	Projector Details Required for Cage Design Fits 140/3 without FMP
ED-X8250, ED-X12	No Info	305	249	86	Y	Y	Y	Y	Y	Y	?	Projector Details Required for Cage Design Fits 140/3 without FMP Insert
HP												
VP 6110 / 6111 / 6120 / 6121		305	240	114	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
vp6315	T-T109-XX	295	272	115	N	Y	Y	Y	Y	Y	Y	Fits 140/4 without fixed plate
xp8020	T-T110-H	445	275	142	N	N	N	N	N	N	?	Projector Details Required for Cage Design
InFocus												
LitePro 240	T-T 104-NN	305	254	98	N	N	Y	Y	?	Y	?	
LitePro 280	T-T 104-EE	280	215	95	N	Y	Y	Y	Y	Y	?	
LitePro 350	T-T 103-EE	280	275	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
LitePro 650	T-T 104-W	353	320	112	N	N	N	Y	N	Y	?	
LitePro 730	T-T 102-EE	335	295	150	N	N	N	Y	Y	Y	?	
LitePro 750 / 755	T-T 102-HH	335	300	130	N	N	N	Y	Y	Y	?	
LP 260	T-T 101-TT	285	190	95	Y	Y	Y	N	Y	Y	?	Fits 140/3 without FMP Insert
LP 290	T-T 108-PP	285	215	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
LP 530 - LP 500	T-T 103-JJ	305	260	95	N	N	Y	Y	Y	Y	?	
LP 540	T-T 108-HH	296	260	107	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
X2	T-T 108-RR	330	245	115	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
JVC												
DLA-SX21	T-T 108-UU	360	310	140	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
LG												
LP-XG2	T-T 103-KK	290	235	103	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
Liesegang												
dv 290	T-T 101-BB	440	312	157	N	N	N	N	N	N	?	
dv 325	T-T 102-AA	330	250	100	N	Y	Y	Y	Y	Y	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Mitsubishi</i>												
LVP-S120E	T-T 104-KK	340	264	125	N	N	Y	Y	Y	Y	?	
LVP-SA51U - LVP X70	T-T 102-YY	287	248	90	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
LVP-X300U - LVP-X390 - LVP-X400	T-T 101-MM	385	295	140	N	N	N	Y	Y	Y	?	
LVP-X70U	No Info	292	240	79	Y	Y	Y	N	Y	Y	?	May fit T-T 102-KK - needs checking. Fits 140/3 without FMP Insert
SL & XL 4U / 5U /6U	T-T 106-XX	285	270	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
SL 1U - XL 1U	T-T 102-XX	315	235	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
SL 2U	T-T 107-LL	310	240	96	N	Y	Y	Y	Y	Y	?	
UD8400U	T-T-112-RR				?	?	?	?	?	?	?	
WD3300, XD3200	T-T111-OO	450	400	190	?	?	?	?	?	?	?	Projector Details Required for Cage Design
X490U / X500U	T-T 103-OO	380	305	155	N	N	N	Y	Y	N	?	
XD 400U	T-T 108-QQ	315	245	110	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
XD2000U	T-T 109-RR	430	335	175	N	N	N	N	N	N	?	
XL 595OU & 5980	T-T 110-VV	430	380	180	N	N	N	N	N	N	?	
XL 5980U	T-T110-V V	430	380	180	?	?	?	?	?	?	?	
XL25U	T-T 106-HH	380	330	180	N	N	N	N	N	N	?	
XL4U	T-T 106-XX	285	270	85	Y	Y	Y	U	Y	Y	?	Fits 140/3 without FMP Insert
XL6	No Info				Y	?	?	?	?	?	?	Projector Details Required for Cage Design
XL6600U	T-T111-HH	375	430	210	N	N	N	N	N	N	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
NEC												
GT 5000	T-T 108-YY	550	525	270	N	N	N	N	N	N	?	Bespoke Cage 4mm Plates
GT1150	T-T 103-HH	490	415	210	N	N	N	N	N	N	?	
LT 240	T-T 106-VV	310	210	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
LT155	T-T 104-UU	270	210	75	Y	Y	Y	N	N	Y	?	
MT 1060 / 1075	T-T 107-AA	345	325	130	N	N	N	Y	Y	Y	?	
MT1030+ Multisync	T-T 101-KK	396	338	130	N	N	N	Y	Y	Y	?	
MT1050 Multisync	T-T 101-UU	370	280	125	N	N	Y	Y	Y	Y	?	
NP 1000, NP1150, NP2000, NP2150, NP3150 & NP3151W	T-T110-AA	399	359	150	N	N	N	N	N	N	?	Projector Details Required for Cage Design
VT 440 - VT 540	T-T 101-VV	283	242	115	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
VT 45	T-T 104-CC	300	206	92	N	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
VT 460	T-T 104-OO	310	230	100	?	?	?	?	Y	?	?	
VT 47 / 470 / 570 / 575 / 670	T-T 108-BB	300	290	110	N	N	Y	Y	Y	Y	?	
VT 650	T-T 107-II	290	250	120	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
VT 770	T-T 109-AA	340	245	110	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
VT-480	No Info	310	265	125	N	N	Y	Y	?	Y	?	Projector Details Required for Cage Design
VT58					N	Y	Y	Y	?	Y	?	Good Fit
WT610	No Info				N	N	N	Y	N	N	?	OHP Style Projector odd shape
WT615	No Info				N	N	N	Y	N	N	?	OHP Style Projector odd shape.
Note Vision												
XGNV4SE	T-T 101-EE	312	250	133	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
Optima												
EP729	No Info	200	152	62	Y	Y	N	N	?	?	?	Projector Details Required for Cage Design
Optoma												
EP 739	T-T 108-MM	266	240	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
EP 758	T-T 108-LL	355	270	130	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
EP750	T-T 106-II	280	235	105	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
Panasonic												
PT L6500	T-T 103-LL	500	475	180	N	N	N	N	N	N	?	
PT-AE2000-E	T-T111-KK	460	300	100	N	N	N	N	N	N	?	Projector Details Required for Cage Design
PT-D10000 & PT-DW10000	T-T111-LL	578	607	320	N	N	N	N	N	N	N	
PT-D3500E	T-T 109-LL	430	335	170	N	N	N	N	N	N	?	Bespoke Cage 4mm Plates
PT-D4000E	T-T111-EE	530	425	170	?	?	?	?	?	?	?	Top & Bottom with Bars 2 Locks was T-T108-XX
PT-D5500E, PT-D5600 PT-D5700 & PT-DW5000 & PT-D4000E	T-T111-EE	540	430	175	N	N	N	N	N	N	?	Bespoke Cage 3mm Plates was T-T108-XX
PT-D6000, PT-DW6300, PT-DZ6710, PT-DZ6700	T-T111-RR	500	423	175	?	?	?	?	?	?	?	Top & Bottom Plate Design
PT-DW7000 / PT-D7700	T-T109-WW	540	540	200	N	N	N	N	N	N	?	Projector Details Required for Cage Design
PT-DZ570U, PT-DW530, PT-DX500U	T-T112-UU	332	425	168	?	?	?	?	?	?	?	
PT-F100NT, PT-F200NT & PT-F300NT	T-T110-PP	430	394	145	N	N	N	N	N	N	Y	The 300 is 4mm taller
PTL 720E	T-T 103-W	265	205	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PT-L60NT / LB60 / LB55NT / LB55	T-T109-ZZ	327	233	85	Y	Y	Y	Y	Y	Y	Y	140/3 fits without 140 insert
PT-L6500	T-T103-LL	500	290	180	N	N	N	N	N	N	N	
PT-L701E - L702; L711 and L712	T-T 101-CC	325	237	100	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
PT-L720E	T-T103-WW	265	205	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PT-L735	T-T 106-CC	255	360	120	N	N	Y	Y	Y	Y	?	
PT-L780NTE, PT-L785	T-T107-UU	420	290	136	N	N	N	Y	?	Y	?	
PT-L797PEL	T-T 101-II	466	332	135	N	N	N	N	N	N	?	
PT-LB10 / 10VE / 20	T-T 107-VV	300	210	75	Y	Y	Y	N	N	Y	?	
PT-LB30; PT-LB30NTE	T-T 109-GG	325	234	74	Y	Y	N	N	N	Y	?	
PT-LB50NTEA / LB50 / LB50S	T-T109-YY	300	215	67	Y	Y	N	N	N	Y	Y	
PT-LB80EA	T-T111-II	370	235	100	?	?	Y	Y	?	?	?	Also Fits Pluto Lite /5 &6
PT-LC50E	T-T 108-JJ	265	205	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PT-LC75E	T-T 103-TT	310	245	87	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PT-LC76E; PT-LC80 / LC56	T-T 106-GG	300	260	80	Y	Y	Y	N	Y	Y	?	Fits 140/3 without FMP Insert Also tight fit with 140/4 FMP
PT-LM1E /PT-LM2	T-T107-MM	255	210	70	Y	Y	N	N	N	Y	Y	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Philips</i>												
LC 1041 XG10	T-T 101-YY	370	262	145	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
LC 3132 / 3142	T-T 104-MM	330	237	115	N	Y	Y	Y	?	Y	?	Fits 140/4 without FMP Insert
LC 4245 XG20;	T-T 102-GG	466	332	135	N	N	N	N	N	N	?	Also LC4031 - 4033/40 - 4033/50 - 4041 - 4043/40 - 4043/50 - 4235/40 - 4236/40 - 4241/40 - 4242/40 - 4245/40 - 4246/40. Also Hopper SV10.
LC 4331 / 4341 / 4433	T-T 101-QQ	325	228	118	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
ProScreen LC 4750	T-T 102-BB	344	330	175	N	N	N	N	N	N	?	
<i>Pioneer</i>												
RVD XG10	T-T 101-ZZ	412	335	132	N	N	N	Y	Y	Y	?	
<i>Plus</i>												
U3 810SF	T-T106-NN	210	175	70	Y	Y	N	N	Y	Y	?	
U4 111	T-T106-OO	200	240	70	Y	Y	N	N	Y	Y	?	
<i>Projetiondesign</i>												
F1	T-T108-KK	280	250	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert Bespoke Cage 4mm Plates
<i>Prokia</i>												
C755MP	T-T107-WW	285	205	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
<i>Proxima</i>												
9200	T-T 102-RR	400	280	168	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
DP 6105 - DP 6150	T-T 102-II	330	255	110	N	N	Y	Y	Y	Y	?	
DP 9280	T-T 101-RR	320	460	165	N	N	N	N	N	N	?	
DR 9320	T-T 102-CC	391	577	245	N	N	N	N	N	N	?	
<i>s</i>												
MP 7740i	T-T 106-PP	290	215	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
<i>Sahara</i>												
AV 2100 - AV 3100	T-T 103-CC	350	275	110	N	N	Y	Y	N	Y	?	
AV 600 SB	T-T 102-MM	325	250	105	N	Y	Y	Y	N	Y	?	Fits 140/4 without FMP Insert
<i>Sahara/Delta</i>												
AV2100	T-T107-EE	350	275	110	N	N	Y	Y	N	Y	?	
AV-600 SB	T-T102-MM	325	250	105	N	Y	Y	Y	N	Y	?	Fits 140/3 without FMP Insert
S4000	T-T109-BB	365	280	120	N	N	Y	Y	N	Y	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
Sanyo												
PDG-DHT100 & 8000L	T-T112-CC	425	530	245	?	?	?	?	?	?	?	Projector Details Required for Cage Design
PDG-DWT50L	T-T111-TT	505	385	205	?	?	?	?	?	?	?	Top & Bottom Plate Design
PLC- 8810 - PL 8815	T-T 102-VV	335	260	167	N	N	N	Y	N	Y	?	
PLC- XM100L	T-T111-Z	490	350	165	?	?	?	?	?	?	?	
PLC-SE10 / 15; PLC- XU33;PLC-XU30	T-T 104-QQ	335	248	108	N	Y	Y	Y	?	Y	?	Fits 140/3 without FMP Insert
PLC-SP10B	T-T 102-JJ	390	270	145	N	N	N	Y	?	Y	?	
PLC-SU07N	T-T107-YY	215	320	130	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
PLC-SU50 see PLC-XU50	T-T106-KK	300	220	90	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PLC-SW10; PLC-SW10; XW10	T-T 101-TT	285	190	90	Y	Y	Y	N	?	Y	?	Fits 140/3 without FMP Insert
PLC-SW20	T-T 103-DD	260	225	93	Y	Y	Y	Y	?	Y	?	Fits 140/3 without FMP Insert
PLC-SW30	T-T 106-LL	275	190	95	Y	Y	Y	N	?	Y	?	Fits 140/3 without FMP Insert
PLC-WM5500L, PLC-ZM5000L	T-T112-MM	491	371	164	N	N	N	N	N	N	N	
PLC-WXU700A PLC-XU106	T-T112-VV	335	260	93	?	?	?	?	?	?	?	Projector Details Required for Cage Design
PLC-XC50 & 55	T-T111-NN	410	265	112	N	N	N	Y	N	?	?	Fits Pluto Lite/6
PLC-XF10BL; PLC-9005	T-T 102-CC	577	391	245	N	N	N	N	N	N	?	
PLC-XF31	T-T 104-PP	610	450	230	N	N	N	N	N	N	?	
PLC-XF41	T-T 104-X	770	580	235	N	N	N	N	N	N	?	
PLC-XF60A	T-T110-DD	518	606	252	N	N	N	N	N	N	N	
PLC-XM100L	T-T111-ZZ	490	350	165	?	?	?	?	?	?	?	
PLC-XP07B	T-T 102-UU	375	270	142	N	N	Y	Y	Y	Y	?	
PLC-XP100L	T-T111-CC	370	442	187	?	?	?	?	?	?	?	Projector Details Required for Cage Design
PLC-XP30; XP21; OLC-XP18B Pro xtraX	T-T 101-RR	450	320	165	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP40	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP41	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP45	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP46,	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP50	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP51	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP55	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP56	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XP57	T-T 103-AA	410	320	170	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert
PLC-XT11 / 15 / 16	T-T 106-DD	415	310	160	N	N	N	Y	Y	N	?	Fits 140/6 without FMP Insert
PLC-XT20, 20L, 20K, 21, 21L, 25, 25L, 25K, 35L	T-T110-KK	350	450	168	N	N	N	N	N	N	?	Also Eiki LC-XG300 Will fit a Pluto-Lite/6

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
PLC-XT25	T-T110-KK	348	445	157	?	?	?	?	?	?	?	PLUTO-lite 6 in Theory
PLC-XTC50L	T-T112-II	447	545	175	?	?	?	N	?	?	?	Projector Details Required for Cage Design
PLC-XU106	T-T112-VV	335	260	93	?	?	?	?	?	?	?	
PLC-XU20B, SU20B	T-T 101-NN	330	242	102	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
PLC-XU30 - SE10	T-T 102-TT	335	228	108	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
PLC-XU300A	T-T112-YY	327	232	90	?	?	?	?	?	?	?	
PLC-XU32 / 40	T-T 104-DD	335	250	108	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
PLC-XU48	No Info	297	213	71	Y	Y	N	N	N	Y	?	
PLC-XU50 also PLC-XU55, PLC-SU50	T-T 106-KK	300	220	90	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PLC-XU51,56 & 58	No Info	297	218	70	Y	Y	N	N	?	?	?	Projector Details Required for Cage Design
PLC-XU70	T-T109-JJ	295	210	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PLC-XU73		295	208	69	Y	Y	N	N	N	Y	?	Details required
PLC-XU75 & XU78	T-T111-JJ	335	240	90	?	Y	Y	Y	?	Y	Y	Fits 140/3 without insert & All Pluto Lites
PLC-XW20 - PLC-SW20	T-T 103-DD	260	225	93	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
PLC-XW50 & PLC-XW55	T-T110-OO	330	240	100	N	Y	Y	Y	Y	Y	?	Also Fits T-T140/4
PLC-YF35	T-T 104-Y	600	440	180	N	N	N	N	N	N	?	
PLC-Z3	T-T109-EE	360	260	120	N	N	Y	Y	N	Y	?	#####
PIC-ZM5000 & 5000L	T-T112-MM	490	372	164	?	?	?	?	?	?	?	
PLV-70;PLV-80	T-T 106-JJ	410	325	180	N	N	N	N	N	N	?	
PLV-WF10	T-T104-PP	610	450	230	N	N	N	N	N	N	N	Bespoke Only
PLV-Z4	T-T 109-PP	385	310	130	N	N	N	Y	Y	Y	?	
POA-SP-SU31	T-T 106-BB	525	340	185	N	N	N	N	N	N	?	
Saville												
NPX 3000	No Info				?	?	?	?	?	?	?	
TX2000	T-T106-QQ	300	250	100	N	Y	Y	Y	Y	Y	?	
X 1100	T-T 102-W	295	250	92	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
XL 1100 Powerite	T-T 101-KK	380	338	150	N	N	N	Y	Y	Y	?	
Seleco												
SLC 600PLUS	T-T 104-RR	320	240	135	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
Sharp												
PG-B10S	T-T108-DD	300	230	110	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
PG-C30XE	T-T 101-EE	320	250	133	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
XG-C60X	T-T109-KK	400	300	115	N	N	N	Y	Y	Y	?	
XG-P25X	T-T107-PP	430	320	190	N	N	N	N	N	N	?	
XG-PH50X	T-T110-J	415	480	200	N	N	N	?	N	N	?	
XG-XV2E	T-T 104-G	540	360	210	N	N	N	N	N	N	?	
XR-10X	T-T109-II	320	290	120	N	N	Y	Y	Y	Y	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.

<i>Proj Model</i>	<i>Dalen Cage No</i>				<i>Fit 140/3</i>	<i>Fit 140/4</i>	<i>Fit 140/5</i>	<i>Fit 140/6</i>	<i>Fit 105-A</i>	<i>140 Ins?</i>	<i>Fit SUPM</i>	<i>Notes</i>
<i>Sony</i>												
CX5	T-T 104-ZZ	284	230	75	Y	Y	Y	N	N	Y	?	
VPL-CS4	T-T 104-BB	276	213	90	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
VPL-CX63	No Info	330	286	95	N	N	Y	Y	?	?	?	Projector Details Required for Cage Design
VPL-ES1	T-T106-ZZ	300	240	90	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
VPL-EX3	No Info	308	251	99	N	N	Y	Y	?	Y	?	Projector Details Required for Cage Design
VPL-FE40-20, FX40, FX41, FW41	T-T111-DD	535	352	145	N	N	N	N	N	N	Y	
VPL-FH30	T-T112-ZZ	390	463	148	?	?	?	?	?	?	?	
VPL-FX200E	T-T 103-Z	635	535	235	N	N	N	N	N	N	?	
VPL-FX50	T-T 103-QQ	485	460	165	N	N	N	N	N	N	?	
VPL-PX10 XGA	T-T 102-PP	325	280	135	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
VPL-PX20 XGA	T-T 104-JJ	340	336	143	N	N	N	Y	Y	Y	?	
VPL-PX30	T-T 109-MM	340	340	150	N	N	N	Y	Y	Y	?	
VPL-PX40	No Info	420	325	145	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert Coud Be Tight
VPL-PX41	T-T 109-NN	425	325	150	N	N	N	Y	N	N	?	Fits 140/6 without FMP Insert Coud Be Tight Bespoke Cage 4mm Plates
VPL-X1000	T-T107-ZZ	340	290	130	N	N	Y	Y	Y	Y	?	Fits 140/5 without FMP Insert
VPL-X600	T-T 101-XX	340	300	136	N	N	N	Y	Y	Y	?	
<i>Telex</i>												
P600	T-T 102-LL	380	300	165	N	N	N	Y	N	N	?	
<i>Toshiba</i>												
TDP-D1	T-T107-HH	250	205	95	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
TDP-T80	T-T108-TT	300	265	100	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert Also TDP-TW90U
TLP 260	T-T 103-XX	285	260	102	N	Y	Y	Y	Y	Y	?	Fits 140/4 without FMP Insert
TLP 470	T-T 103-YY	320	235	91	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
TLP 551	T-T 103-PP				N	N	N	N	N	N	?	Bespoke Only OHP type
TLP 680	T-T 103-UU	318	233	90	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
TLP S30	T-T 104-TT	278	200	87	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
TLP-S10	T-T 106-W	310	210	85	Y	Y	Y	Y	Y	Y	?	Fits 140/3 without FMP Insert
TLP-T520	T-T 108-CC	300	250	100	N	Y	Y	Y	Y	Y	?	
TLP-X200EDU	T-T110-I	290	250	92	Y	Y	Y	Y	?	Y	?	Will fit a 140/3 without Insert
<i>View Sonic</i>												
PJ 510	T-T 107-XX	330	290	105	N	N	Y	Y	Y	Y	?	

Other projectors can be secured but we will need to borrow the item for a minimum of one week in order to design and manufacture the first one. Once the design has been proven they would then be available "A week on Monday" from date of order.