



10-year
mechanical
warranty

5-year
electrical

Rotating rear panel for
easy AV equipment and
cabling access



Contour

Contour is a prestigious lectern, available in a large range of sizes to suit all room types. Designed to securely house AV equipment, each unit is also supplied with a versatile monitor arm, illuminated branding and our innovative rack unit that allows non-rack mounted equipment to be secured within the rack space.

Contour features easy equipment access for maintenance, a large storage space, effective cable management and a removable rack system that allows media equipment to be installed at integrators premises while the lectern is still being built.

Features

- Illuminated branding (vinyl or printed branding available)
- 12U / 14U / 16U removable rack(s)
- Extensive rack access for easy maintenance



Removable 19" rack

Allows rack to be populated whilst the lectern is being built.



Secure your AV equipment

Robust steel construction and drill resistant locks ensure security.



Seamless AV integration

Complete internal cable management creates an 'all-in-one' solution.



Range of models

Extensive model range to suit a large range of learning spaces.

Our lecterns effectively integrate and enhance the use of your technology

Visualiser

**Ergonomic
monitor mount**


**Quick & easy worktop
connectivity**

Secure your expensive AV / IT equipment with our tamper proof designs

Rack space for
AV/IT equipment

Rotating rear panel for
easy AV equipment and
cabling access

Pico & Nano only



Models

Solo	V4CS	Mono	V4CM
Pico	V5CP	Duet	V4CDT
Nano	V5CN	Duplex	V4CDX
Compact	V4CC		

Included

Rack shelves are no longer supplied as standard. They remain available FOC on request.

- Standard paint, worktop & edge banding finishes
- Half U's open in lecturer facing panel (as standard)
- 12U/14U/16U or 24U/28U/32U removable rack(s)
- Illuminated branding (vinyl or printed branding available on request)
- Monitor arm (ENDO72 or 82)
- Left or right hand
- 16U supplied with adjustable feet
- Front & rear rack access
- Worktops are supplied with a thickness of 18mm

Additional cost

- Non-standard paint, worktop & edge banding finishes
- Visualiser housing
- Control panel housing
- Writing surface inlay
- Desktop machining
- Castors

Dimensions

12U: 728mm(H) / 800mm(H) with VCU castor upgrade

14U: 799mm(H) / 871mm(H) with VCU castor upgrade

16U: 888mm(H) / 960mm(H) with VCU castor upgrade

Solo
W: 1280mm D: 900mm

Pico
W: 1500mm D: 800mm | Footwell
W: 500mm

Nano
W: 1650mm D: 1030mm | Footwell
W: 576mm

Compact
W: 2130mm D: 1025mm | Footwell
W: 621mm

Duplex
W: 2130mm D: 1025mm

Mono
W: 2525mm D: 1030mm

Duet
W: 3000mm D: 1100mm



Make it your own!

We offer a wide range of non standard colours and finishes. Custom colours can be supplied at standard pricing but may incur an additional cost.

Standard paint finishes



Standard worktop & edge banding finishes

